

Patient signature:



Title: Inhaler Technique Review – Aerolizer NMI-21			UNION			
Patient det Title: Address:	tails Name: Ref	number: e of review:				
	nacist, practice nurse or clinical specialist observes the patie satisfactory) or 0 (not satisfactory) depending on whether th				and	
1	Remove the cap					
2	Hold the base firmly and turn the mouthpiece in the direction arrow (anti-clockwise). This opens the capsule chamber.	of the				
3	With DRY hands, remove one capsule from the blister strip an flat into the capsule chamber. Close the capsule chamber by t mouthpiece clockwise until a click is heard.					
4	Hold inhaler upright, squeeze two blue buttons inwards on ba inhaler to pierce the capsule, then release.	se of				
5	In the sitting or standing position, with the head upright, brea gently as far as you comfortably can. (Do NOT breathe out in device).					
6	Hold mouthpiece at right angles to the mouth and place betweeth. Close lips around the mouthpiece inhale quickly and through the inhaler (NOT through the nose). A whirring noise be heard as the capsule spins in the chamber.	deeply,				
7	Remove the inhaler from the mouth and hold breath for 10 seas close to 10 seconds as possible	econds, or				
8	Breathe out slowly through the nose. (Do NOT breathe out in inhaler)	to the				
9	Open the capsule chamber to see if any powder is left in the c there is, repeat step 5-8.	apsule. If				
10	When the capsule is empty, discard capsule from chamber. Close the capsule chamber and replace the cap.					
Total / 10						
	Signed/initialled by pharmacist/professional staff: Date of assessment:					
a) Patientb) I havec) I agreed) I conse	of Patient Informed Consent: t's reason for choosing to attend for Inhaler Technique Review: received information about the Inhaler technique review proces that information may be shared with my GP or carer (specify) _ ent to the use of Inhaler Technique Review results, my name/ide dit purposes, including the accumulation of such data for researce	ntification having	Date	:		:

Date: